

M Bret Blackford

DOB: 7/16/64 (59yrs)

Sex: Male

EKG Recording Overview

Kardia Advanced Determination:

Normal Sinus Rhythm

*Kardia Advanced Determination is done on Lead I.

Recorded on: Wednesday, November 1, 2023 at 8:46:41 PM

Heart Rate: 51 BPM Duration: 30s

Additional Information

Tags:

No tags to display

Notes:

Bret Blackford, BP 150/88

Kardia does not check for heart attack. If you believe you are having a medical emergency, call emergency services. AliveCor does not provide medical advice or services, and any information from AliveCor is provided to assist you and your doctor with your medical care and not as a replacement for consulting with your doctor.




Patient: M Bret Blackford
Recorded: Wednesday, November 1, 2023 at 8:46:41 PM

Heart Rate: 51 BPM **Duration:**

Kardia Advanced Normal Sinus Rhythm

Determination:

*Kardia Advanced Determination is done on Lead I.



Patient: M Bret Blackford
Recorded: Wednesday, November 1, 2023 at 8:46:41 PM

Heart Rate: 51 BPM **Duration:**

Kardia Advanced Normal Sinus Rhythm

Determination: *Kardia Advanced Determination is done on Lead I.

Enhanced Filter, Mains Frequency: 60Hz Scale: 25mm/s, 10mm/mV П Ш aVR aVL aVF

Patient: M Bret Blackford
Recorded: Wednesday, November 1, 2023 at 8:46:41 PM

Heart Rate: 51 BPM **Duration:**

Kardia Advanced Normal Sinus Rhythm **Determination:**

*Kardia Advanced Determination is done on Lead I.

Enhanced Filter, Mains Frequency: 60Hz Scale: 25mm/s, 10mm/mV I П Ш aVR aVL aVF

Patient: M Bret Blackford
Recorded: Wednesday, November 1, 2023 at 8:46:41 PM

Heart Rate: 51 BPM **Duration:**

Kardia Advanced Normal Sinus Rhythm **Determination:**

*Kardia Advanced Determination is done on Lead I.

Enhanced Filter, Mains Frequency: 60Hz Scale: 25mm/s, 10mm/mV I П Ш aVR aVL aVF



Patient: M Bret Blackford

Recorded: Wednesday, November 1, 2023 at 8:46:41 PM

Heart Rate: 51 BPM **Duration:** 30s


Kardia Advanced Normal Sinus Rhythm

Determination:

*Kardia Advanced Determination is done on Lead I.

R-R Interval Plot

Detection of QRS locations allows Kardia AI to measure the distance between heartbeats or the RR interval. This can be used to review variability of heart rate, which may be useful in understanding heart rate variability, or to visually display irregularity in rate (such as in Afib).





Patient: M Bret Blackford
Recorded: Wednesday, November 1, 2023 at 8:46:41 PM
Heart Rate: 51 BPM

Duration: 30s Kardia Advanced Normal Sinus Rhythm **Determination:**

*Kardia Advanced Determination is done on Lead I.

Average Beat Plot
The average beat display is the average of all the normal, non-ectopic (extra/missed) beats in the ECG. An average beat display is intended to be a simple visual representation of one beat in a 30-second ECG.

